

Inventory for Appraisal Report

Prepared By: Benny Taylor, C.A.G.A.

File Number: 1113 Global Energy Services, INC

Date Printed: 3/24/2020

Sawmill # 1

- 1 25' x 20' Infeed Log Deck, 3 Strand Supported by 12" Round Steel Columns, Concrete Incline Approach to Log Deck, Chain Operated Hydraulic Log Turner at End of Deck.
- 2 Fulghum Debarker, Model E-612, SN F1-00-657, DEB-315, 102-315, Powered by Fulghum Hydraulic Power Unit With A 15HP Electric Engine. Debarker has a 8-12" Spindle Log Turners, Cable Operated Debarker, Includes Control Cab, Fully Hydraulic Mounted on 12" Columns with Metal Stairway.
- 3 30' Chain and Slat V Shaped Bark Out Feed Conveyor Discharging Into A 16" Incline Slat and Chain Conveyor. Approximately 25' Long Portable Unit.
- 4 Stationary Slat and Chain Incline Trough Conveyor, Feeding an Overhead Trailer Loadout, Approximately 60' Long
- 5 5 Strand Debarked Log Deck Infeed To HMC 8 Arm Stop and Load Log Turner.
- 6 HMC Model AC-40-HD, SN-648-99, 4 Headblock Log Carriage, 50 HP Electric Motor on A Tyrone Berry Cable Operated 60' Long Rail, Related Electrical and Disconnects
- 7 HMC Sawyers Cab, Fully Hydraulic Controlled Silvatech Controls
- 8 56" Circular Saw Blad Husk Unit
- 9 Out Feed Conveyor From Sawyer Husk, A 24" Slab Belt Conveyor, Hydraulic Operated Deliver to Main Trough Conveyor, Manual Setworks
- 10 HMC Hydraulic Lumber Hoist To 4 Chain Crossover Delivery To Cornell Edger
- 11 Cornell 8" x 48" Gang Edger, 4 8" Roll Case Infeed Conveyors, 2 Out Feed Belts, 1-12" and 1-4"
- 12 Sawdust Slanted Delivery Trough to Main Trash Conveyor
- 13 (13)-35' Outfeed Lumber Conveyor, (13)-35' Outfeed Lumber Conveyor, (15)-24" Rollcase Conveyors to Lumber Deck
- 14 Rooftop 5 Strand Conveyor with H-130 Rooftop Chain 22' Long x 16' Wide
- 15 6 Strand Crossover Delivery Conveyor To Rollcase Even Ender Approach to the Trim Saw
- 16 Single Circular Saw Trim Saw Traveling on a H - Metal Carriage, Manual Setworks
- 17 4 Strand Decline Crossover Conveyor to one Crosstie Outfeed Deck, Air Operated
- 18 15' Crosstie 6 Strand 81-X Chain Outfeed Deck to a 16' Timber 3 Strand Green Chain Loadout and Banding Deck

Inventory for Appraisal Report

Prepared By: Benny Taylor, C.A.G.A.

File Number: 1113 Global Energy Services, INC

Date Printed: 3/24/2020

- 19 Precision 19FT Vibrating Conveyor Beneth the Trim Saw Delivering
- 20 Precision Vibrating Conveyor Under Cornell Edger, 12' Long to Main Trash Conveyor, SN - V-1991
- 21 Precision Vibrating Conveyor Delivery From Trim Saw to Main Trash Conveyor
- 22 Morbark Main Trash Vibrating Conveyor Beneath Mill, 120' Long, in Two Sections, With 10' Screen
- 23 MDI XR-3000 Magnet Metal Detector Trough, SN - XRS-11205
- 24 Fulghum 54" 6KHFVD Chipper, SN - F1-FIL-1675, Powered by a 300 HP Electric Motor, Single Overhead Discharge to a Fulghum Cyclone, Cyclone Incline Chip Conveyor, 20" Belt x 30" Long to Shaker Screen and a Fulghum 5' x 5' Shaker Screen, 10 HP Electric Drive, including Electrical Disconnects
- 25 Large Chip Outfeed Conveyor to a 24' 18" Belt Conveyor Cross Delivery Back to the Main Trough Conveyor for Re Chipping
- 26 Single Outfeed Cyclone Blower to Spout For Delivery into Chip Van
- 27 48" Cyclone Fan Suction and Blower with 3 Pipes Extracting Fine Sawdust from 3 Screens in Main Trough Conveyor, Single Outfeed Spout to Trailer, 50 HP Electric Motor
- 28 Sawmill Metal Sub Structure, Welded I Beams, Stairs with Handrails
- 29 Beckert Hydraulic Power Unit Powered by 15HP Electronic Motor, Hydraulic Cooling Fan
- 30 200 HP Electronic Motor Powering Husk
- 31 Vickers Hydraulic Power Unit Powering, 30 Gallon, Model 02-150276, SN-99C-30831-04, Powering Cornell Edger
- 32 350 HP Electric Engine Powering Cornell Edger
- 33 Quincy OGD-50 Air Compressor, Quincy Dryer and Manchester 400 Gallon Air Storage Tank
- 34 (4) 48" Circular Saw Blades - For Husk, BH Payne & Co.
- 35 Allen Bradley Centerline 2100, Control Center, G502936231/100, Electrical Siconnects For All Machinery In Sawmill

Sawmill # 2

- 36 HMC 5 Stand Log Infeed Deck with H-78 Chain, Sprocket Drive with Hydraulic Drive and 15HP Motor, SN - L030-1693
- 37 HMC Stop and Load Log Loader, Hydraulic Driven Mounted on End of Infeed Log Deck

Inventory for Appraisal Report

Prepared By: Benny Taylor, C.A.G.A.

File Number: 1113 Global Energy Services, INC

Date Printed: 3/24/2020

- 38 HMC V 216 Log Debarker, Log Turner Pnuematic Clamp, SN - V216-1880-16, Debarker Lube Sytem, Electric Motor, Hydraulic Drive
- 39 HMC WC4 Bark Leveling Conveyor, SN - WC4-1074-16, Waste Conveyor to The Exterior Loadout Area, 3 HP and 5 HP Electric Motor Drive 40 Foot Long Over Trailer
- 40 HMC BC40 Log Metal Detector, SN-BC40-670-16, MDI 2000 Heavy Duty Metal Detector, Belt Conveyor Thru Detector Electric Drive, Hydraulic Driven
- 41 Bark Conveyor Beneath Debarker to the Barn Sweep Incline to the Truck Loading and Leveling Conveyor, 15 HP Motor and Hydraulic Gear Drive
- 42 HMC Debarker's Control Cab, Fully Automated Computerized Controls, Air Conditioned
- 43 Receiving and Outfeed Debarked Log Haul Conveyor, SN - LH-145 and 146-16, 75 Foot Long, Banner Valu-Beam 912 Series Sensors; Parker Pnuematic Log Kicker Air Cylinders, WEG Gear Reducer
- 44 HMC Live Log Deck to the Headrig Carriage, 5 Strand, 20 Foot Long, SN - LD30-1692-16 with A HMC Stop and Load Chain Over Hydraulic Log Loader to Carriage.
- 45 HMC AC 40 Board Dog Carriage, SN - AC40BD-648-98, HMC AC 50 Board Dog Carriage, SN - AC50BD-737-16
- 46 HMC IESCO Log Carriage Drive, Model HD 40, 75 HP Drive, SN - H040-488-99, Model 10C, SN- 15706 Drive, Track Panograph
- 47 HMC SH 24 Husk Saw, SH 17 Top Saw, EV10 Vertical Edger, Not installed, witha HMC BC-36 Drop Belt Conveyor- 20 Foot Long, Machine SN - 24-590-16, 200 HP Drive
- 48 HMC Custom Sawyers Cab, Fully Automated Controls
- 49 Lower V Slab Trough to Main Trash Conveyor
- 50 HMC Roller Bed Timber Delivery to Gang Saw, 30 Inch x 30 Foot, SN - RC-758-16, Banner Photo Eye System, 15 HP Drive
- 51 LT 29 Lumber Transfer to Edger, SN - LT29-1700-16, 5 Strand Cross Delivery Right Hand and Left Hand Delivery
- 52 HMC LT 29 Slab Drag Conveyor, SN - LT29SD-1698-16, Hydraulic Chain Drive, 15 HP Motor
- 53 HMC Timber Rollcase Conveyor to The Tronco Edger, 15 Hp Drives and Hydraulics
- 54 Tronco 2 Saw 8" x 24" Gang Edger, Machine #101 Press Roll Assembly, Arbor Saw, Infeed Table Assembly, Outfeed Table Assembly with Guides
- 55 Custom Control Cab, Fully Computerized Controls to Infeed, Edger, and Outfeed Conveyors

Inventory for Appraisal Report

Prepared By: Benny Taylor, C.A.G.A.

File Number: 1113 Global Energy Services, INC

Date Printed: 3/24/2020

- 56 HMC LT 29 5 Strand Incline Conveyor with 75' Rollcase Conveyor with Right and Left Hand Delivery for Timbers, 15 HP Drive, SN - LT1696-16
- 57 Lefthand 5 Strand Small Timber Outfeed Deck to Exterior Pickup, 15 HP Motor Drive
- 58 HMC 5 Strand Rooftop Conveyor Timber Preparation Deck to Infeed of Tronco Cut Off Saw, SN - LT-27-1694-16, 6' Long, C-55 Rooftop Chain
- 59 HMC 5 Strand LT 29, 81 X Chain Timber Transfer, SN - LT29-1695-16, 15 HP Drive
- 60 HMC Prep Deck to Cut Off Saw Infeed Rollcase, SN - LT-1697-16, 20 Feet x 25 Feet, 5 Strand 81 X Transfer Chain to Measurement Area and Infeed Rollcase Conveyor to Tronco Cut Off Saw
- 61 HMC Infeed Rollcase to Cut Off Saw, SN - RC-756-16, 28 Feet, 3 Hp Drives fo Rollcase, 11 Rollcase Conveyors
- 62 Tronco Cut Off Saw Machine #101, 25 HP Motor Drive, Single Saw Operated by Hydraulic Lift, Belt Drive to Saw Head
- 63 HMC Outfeed Rollcase Conveyor, SN - RC-760-16, 12 Roller Rollcase, 4 Transfer Jump Chains, Pnuematic Stop Gates CANT Positioner and Pullback, Timber Kickers - Pnuematic Stop Gate Assembly, Skate Rollers on Outfeed to Timber Elevator
- 64 HMC Custom Control Cab for Tronco Cut Off Saw, Fully Computerized
- 65 HMC RC 36 Jump Skid Rollcase, SN - RC36-757-16, Pnuematic Jump and Timber Kickers, 30 Foot x 36 Inch, 5 HP Drive with a 5 Strand 81 X Chain Transfer 10 Foot Long
- 66 HMC PS 21 Hydraulic Power Pack, SN - PS21-168-16, WEG Motor Drive
- 67 CANT Lowering Mechanism, SN - LT-1701-16, Timber Elevator to CANT Skate Rollout to CANT Sorting Rollcase and Skate Rolldeck, SN - RC-759-16, Including Banner Q45BB6 Photo Sensors
- 68 HMC Hydraulic Power Unit, Model PS-21, SN - PS21-168-16, Supplies Hydraulic Power to the Cut Off Saw and the CANT Lowering Mechanism. 15 HP Drive Motor
- 69 HMC Control Cab, Fully Automated to Control Infeed, Outfeed, Chop Saw, and CANT Lowering Mechanism
- 70 Rollcase Loadout Decks # 1, 2, 3, and 4. 35' Long, 36 Inche Roller Bed with Skate Rollers for Transfer, Photo Eye Sensor for Release by Measurement to Loadout.
- 71 Webster Vibrating Transfer From Cutoff Saw, SN - 15-306598-001, Under Cut Off Saw, 25 Feet Long
- 72 Webster Vibrating Conveyor Under The Gang Saw, SN - 16-31401-004, 16/27, 18' Long

Inventory for Appraisal Report

Prepared By: Benny Taylor, C.A.G.A.

File Number: 1113 Global Energy Services, INC

Date Printed: 3/24/2020

- 73 Webster Vibrating Main Conveyor #1, 16-314010-001, 60' Long
- 74 Webster Vibrating Main Conveyor #2, 16-314016-002, 60' Long
- 75 Webster Vibrating Main Conveyor #3, 16-31016-003, 61' 4 1/2" Long
- 76 MDI 3000 XR Magnet Metal Detector, Over Main Trash Vibrating Conveyor
- 77 Incline Conveyor for Sawdust Fines Precision Shaker Screen
- 78 Precision Kwik Chip Pack- To include: Precision 66-18 Chipper, SN - C3803, 200 HP Drive, Precision 7' X 7' Shaker Screen, SN 2728, Precision Phelps Blower and Dual Blow Pipe Loadout System, Model E-36H, SN-40379
- 79 Phelps Fine Dust Conveyor Blower and Piping from the Screen to Exterior Blow Pipe Loadout Single Spout
- 80 Quincy Model QSI-370i Main Mill Air Compressor, Dryer and Storage Tank
- 81 Quincy Model QGS10 Air Compress, Not Installed with Dryer and Storage Tank
- 82 Quincy QGS-25 Air Compressor located in Mat Area
- 83 HMC Out Feed 3 Strand Out Feed CANT Deck Edger & Loadout Conveyor
- 84 Allen Bradley Electrical Supply Room Containing Disconnects for the Entire Sawmill # 2 Machinery
- 85 Electrical Conduit, Wiring, and Soft Starts and related throughout Sawmill # 2